

Exercise 1

Use properties of conjugates and moduli established in Sec. 5 to show that

$$\begin{aligned} (a) \overline{\bar{z} + 3i} &= z - 3i; & (b) \overline{iz} &= -i\bar{z}; \\ (c) \overline{(2+i)^2} &= 3 - 4i; & (d) |(2\bar{z} + 5)(\sqrt{2} - i)| &= \sqrt{3}|2z + 5|. \end{aligned}$$

Solution**Part (a)**

Use the fact that the conjugate of a sum is the sum of the conjugates.

$$\begin{aligned} \overline{\bar{z} + 3i} &= \bar{\bar{z}} + \overline{3i} \\ &= (z) + (-3i) \\ &= z - 3i \end{aligned}$$

Part (b)

Use the fact that the conjugate of a product is the product of the conjugates.

$$\begin{aligned} \overline{iz} &= \bar{i}\bar{z} \\ &= (-i)\bar{z} \\ &= -i\bar{z} \end{aligned}$$

Part (c)

Use the fact that the conjugate of a product is the product of the conjugates.

$$\begin{aligned} \overline{(2+i)^2} &= \overline{(2+i)(2+i)} \\ &= \overline{2+i}\overline{2+i} \\ &= (2-i)(2-i) \\ &= 4 - 4i + i^2 \\ &= 3 - 4i \end{aligned}$$

Part (d)

Use the fact that the modulus of a complex number is equal to the modulus of its conjugate.

$$\begin{aligned} |(2\bar{z} + 5)(\sqrt{2} - i)| &= \left| \overline{2z + 5} \overline{\sqrt{2} + i} \right| \\ &= |\overline{2z + 5}| \left| \overline{\sqrt{2} + i} \right| \\ &= |2z + 5| |\sqrt{2} + i| \\ &= |2z + 5| \sqrt{2 + 1} \\ &= \sqrt{3}|2z + 5| \end{aligned}$$